

## 2005 Premiums and Discounts (P & D's) and Additional Discounts for Wheat, Barley and Oats

### A Wheat P & D's

These tables provide the **P & D's** for **2005** crop year **Wheat**.

Grade or Factor Description	Effective 2004 Crop		Effective 2005 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Durum Grade and Subclass Premium</b>				
• U.S. No. 2 or better				
• <b>Amber Durum</b>	.10		.10	
• <b>Hard Amber Durum</b>	.30		.30	
<b>Protein Percent</b>				
• <b>Durum Wheat</b> • <b>Premiums</b> applicable to Grade <b>U.S. No.1, Hard Amber Durum Only</b> • <b>Discounts</b> applicable to <b>all</b> Grades				
11.0 and below	.00	.00	.00	\$.05
11.1 – 11.7	.00	.00	.00	.04
11.8 – 12.1	.00	.00	.00	.03
12.2 – 12.5	.00	.00	.00	.02
12.6 – 12.9	.00	.00	.00	.01
13.0 and 13.1	.00	.00	.00	\$.00
13.2 – 13.3	.00	.00	.01	.00
13.4 - 13.5	.00	.00	.02	.00
13.6 -13.7	\$.00	\$.00	\$.03	.00
13.8 – 13.9	.00	.00	.04	.00
14.0 and above	.00	.00	.05	.00
<b>Protein Percent</b>				
• Soft White Wheat • Premiums apply only to wheat grading U.S. No. 2 or better				
10.0 - 0	\$.02		\$.02	

**A Wheat P & D's (Continued)**

Grade or Factor Description	Effective 2004 Crop		Effective 2005 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Protein Percent (cont'd)</b>				
<ul style="list-style-type: none"> <li>• <b>Hard Red Winter</b></li> <li>• <b>Hard White Wheat</b></li> <li>• Premiums apply only to wheat grading U.S. No. 2 or better</li> <li>• Discounts apply to all Grades</li> </ul>				
8.9 and below		.11		.11
9.0 - 9.1		.10		.10
9.2 - 9.3		.09		.09
9.4 - 9.5		.08		.08
9.6 - 9.7		.07		.07
9.8 - 9.9		.06		.06
10.0 - 10.1		.05		.05
10.2 - 10.3		.04		.04
10.4 - 10.5		.03		.03
10.6 - 10.7		.02		.02
10.8 - 10.9		.01		.01
11.0- 11.1		.00		.00

**A Wheat P & D's (Continued)**

Grade or Factor Description	Effective 2004 Crop		Effective 2005 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Protein Percent (cont'd)</b>				
<ul style="list-style-type: none"> <li>• <b>Hard Red Winter</b></li> <li>• <b>Hard White Wheat</b></li> <li>• Premiums apply only to wheat grading U.S. No. 2 or better</li> <li>• Discounts apply to all Grades</li> </ul>				
11.2 - 11.3	\$.01		\$.01	
11.4 - 11.5	.02		.02	
11.6 - 11.7	.03		.03	
11.8 - 11.9	.04		.04	
12.0 - 12.1	.05		.05	
12.2 - 12.3	.07		.07	
12.4 - 12.5	.09		.09	
12.6 - 12.7	.11		.11	
12.8 - 12.9	.13		.13	
13.0 and over	.15		.15	

**A Wheat P & D's (Continued)**

Grade or Factor Description	Effective 2004 Crop		Effective 2005 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Protein Percent</b>				
<ul style="list-style-type: none"> <li>• <b>Hard Red Spring</b></li> <li>• Premiums apply only to wheat grading U.S. No. 2 or better</li> <li>• Discounts apply to all grades</li> </ul>				
8.9 and below		\$.48		\$.48
9.0 - 9.1		.45		.45
9.2 - 9.3		.42		.42
9.4 - 9.5		.39		.39
9.6 - 9.7		.36		.36
9.8 - 9.9		.33		.33
10.0 - 10.1		.30		.30
10.2 - 10.3		.27		.27
10.4 - 10.5		.24		.24
10.6 - 10.7		.21		.21
10.8 - 10.9		.18		.18
11.0 - 11.1		.15		.15
11.2 - 11.3		.12		.12
11.4 - 11.5		.09		.09
11.6 - 11.7		.06		.06
11.8 - 11.9		.03		.03
12.0- 12.1	\$.00	.00	\$.00	.00
12.2- 12.3	.01		.01	
12.4- 12.5	.02		.02	
12.6- 12.7	.03		.03	
12.8- 12.9	.04		.04	
13.0- 13.1	.05		.05	
13.2- 13.3	.06		.06	

**A Wheat P & D's (Continued)**

Grade or Factor Description	Effective 2004 Crop		Effective 2005 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Protein Percent (cont'd)</b>				
<ul style="list-style-type: none"> <li><b>Hard Red Spring</b></li> <li>Premiums applicable to Grade U.S. No. 2 or better</li> <li>Discounts applicable to all Grades</li> </ul>				
13.4- 13.5	.07		.07	
13.6- 13.7	.08		.08	
13.8- 13.9	.09		.09	
14.0- 14.1	.10		.10	
14.2 - 14.3	.13		.13	
14.4- 14.5	.16		.16	
14.6- 14.7	.19		.19	
14.8- 14.9	.22		.22	
15.0 - 15.1	.25		.25	
15.2 - 15.3	.28		.28	
15.4 - 15.5	.31		.31	
15.6 - 15.7	.34		.34	
15.8 - 15.9	.37		.37	
16.0 - and above	.40		.40	

**A Wheat P & D's (Continued)**

Grade or Factor Description	Effective 2004 Crop		Effective 2005 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Grade Discount by Class:</b>				
• <b>Hard Red Winter, Soft White Wheat, Hard White Wheat</b>				
Grade U.S. No. 3		\$.10		\$.10
Grade U.S. No. 4		.15		.15
Grade U.S. No. 5		.30		.30
• <b>Hard Red Spring</b>				
Grade U.S. No. 3		\$.25		\$.25
Grade U.S. No. 4		.40		.40
Grade U.S. No. 5		.65		.65
• <b>Durum and Soft Red Winter</b>				
Grade U.S. No. 3		\$.30		\$.30
Grade U.S. No. 4		.60		.60
Grade U.S. No. 5		.90		.90

**A Wheat P & D's (Continued)**

Grade or Factor Description	Effective 2004 Crop		Effective 2005 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Class Discounts - Mixed Wheat:</b>  <b>Note:</b> Unclassed wheat and the class Red Durum are ineligible for loan		Mixed Wheat \$.25		Mixed Wheat \$.25
For each 1.0 percent of mixtures of classes other than contrasting classes over 3.0 percent		.05		.05
For each 1.0 percent of mixtures of contrasting classes over 10.0 percent		.05		.05
<b>Special Grade Discount:</b>				
<ul style="list-style-type: none"> <li><b>Smut:</b></li> <li>Light Smutty</li> </ul>		\$.10		\$.10
<ul style="list-style-type: none"> <li>Smutty</li> </ul>		.20		.20
<ul style="list-style-type: none"> <li><b>Garlic:</b></li> <li>Each garlic bulblet</li> </ul>		\$.01		\$.01

**A Wheat P&D's (Continued)**

Grade or Factor Description	Effective July 1, 2004	Effective July 1, 2005
	Per Bushel	Per Bushel
	Discount	Discount
<b>Insect Damaged Kernels (IDK):</b>		
11	\$.01	\$.01
12	.02	.02
13	.03	.03
14	.04	.04
15	.05	.05
16	.06	.06
17	.07	.07
18	.08	.08
19	.09	.09
20	.10	.10
21	.12	.12
22	.14	.14
23	.16	.16
24	.18	.18
25	.20	.20
26	.22	.22
27	.24	.24
28	.26	.26
29	.28	.28
30	.30	.30
31	.32	.32
For 32 and up IDK, \$.32 plus \$.01 each additional IDK over 31., See 8-LP, paragraph 1015 for grade information.		
<b>Example:</b> Discount for 36 IDK would be \$.37, and the Sample grade discount shall apply.		



**A Wheat P & D's (Continued)**

Grade or Factor Description	Effective 2004 Crop		Effective 2005 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
• Dockage Discounts (for SWW ONLY)				
0.21 - 0.60		\$ .00		\$ .02
0.61 - 0.70		\$ .00		\$ .04
0.71 - 0.80		\$ .01		\$ .04
0.81 - 0.90		.02		.05
0.91 - 1.00		.03		.06
1.01 - 1.10		.045		.07
1.11 - 1.20		.06		.08
1.21 - 1.30		.075		.09
1.31 - 1.40		.09		.10
1.41 - 1.50		.105		.11
For each 0.1 percent or fraction thereof over 1.50 percent, apply an additional		.02		.02

## B Wheat Additional Discounts

These tables provide the **Additional Discounts** for **2005** crop year **Wheat**

Grade or Factor Description	Effective July 1, 2004	Effective July 1, 2005
	Per Bushel	Per Bushel
	Discount	Discount
<b>Sample Grade Discount by Class:</b>		
• HRW, SWW, HWW	\$.70	\$.70
• HRS	.70	.70
• DUM and SRW	1.00	1.00
<b>Heat-Damaged Kernels Percent for All Classes:</b>		
3.1 - 3.2	\$.02	\$.02
3.3 - 3.4	.04	.04
3.5 - 3.6	.06	.06
3.7 - 3.8	.08	.08
3.9 - 4.0	.10	.10
4.1 - 4.2	.12	.12
4.3 - 4.4	.14	.14
4.5 - 4.6	.16	.16
4.7 - 4.8	.18	.18
4.9 - 5.0	.20	.20
5.1 - 5.2	.22	.22
5.3 - 5.4	.24	.24
5.5 - 5.6	.26	.26
5.7 - 5.8	.28	.28
5.9 - 6.0	.30	.30
For each .2 percent or fraction thereof over 6.0 percent	\$.02	\$.02

**B Wheat Additional Discounts (Continued)**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2004</b>	<b>Effective July 1, 2005</b>
	<b>Per Bushel</b>	<b>Per Bushel</b>
	<b>Discount</b>	<b>Discount</b>
<b>Damaged Kernels (Total) Percent:</b>		
15.1 - 16.0	\$.03	\$.03
16.1 - 17.0	.06	.06
17.1 - 18.0	.09	.09
18.1 - 19.0	.12	.12
19.1 - 20.0	.15	.15
20.1 - 21.0	.18	.18
21.1 - 22.0	.21	.21
22.1 - 23.0	.24	.24
23.1 - 24.0	.27	.27
24.1 - 25.0	.30	.30
25.1 - 26.0	.33	.33
26.1 - 27.0	.36	.36
27.1 - 28.0	.39	.39
28.1 - 29.0	.42	.42
29.1 - 30.0	.45	.45
For each whole percent or fraction of a percent over 30 percent	\$.03	\$.03

**B Wheat Additional Discounts (Continued)**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2004</b>	<b>Effective July 1, 2005</b>
	<b>Per Bushel</b>	<b>Per Bushel</b>
	<b>Discount</b>	<b>Discount</b>
<b>Moisture Percent (All Classes Except SRW):</b>		
13.6 - 13.7	\$.01	\$.01
13.8 - 14.0	.02	.02
14.1 - 14.2	.04	.04
14.3 - 14.5	.06	.06
14.6 - 14.7	.08	.08
14.8 - 15.0	.10	.10
15.1 - 15.2	.13	.13
15.3 - 15.5	.16	.16
15.6 - 15.7	.19	.19
15.8 - 16.0	.22	.22
16.1 - 16.2	.25	.25
16.3 - 16.5	.28	.28
16.6 - 16.7	.31	.31
16.8 - 17.0	.34	.34
17.1 - 17.2	.37	.37
17.3 - 17.5	.40	.40
17.6 - 17.7	.43	.43
17.8 - 18.0	.46	.46
18.1 - 18.2	.49	.49
18.3 - 18.5	.52	.52
18.6 - 18.7	.55	.55
18.8 - 19.0	.58	.58

**B Wheat Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2004	Effective July 1, 2005
	Per Bushel	Per Bushel
	Discount	Discount
<b>Moisture Percent (All classes except SRW), Contd.:</b>		
19.1 - 19.2	\$.61	\$.61
19.3 - 19.5	.64	.64
19.6 - 19.7	.67	.67
19.8 - 20.0	.70	.70
20.1 - 20.2	.73	.73
20.3 - 20.5	.76	.76
20.6 - 20.7	.79	.79
20.8 - 21.0	.82	.82
21.1 - 21.2	.85	.85
21.3 - 21.5	.88	.88
21.6 - 21.7	.91	.91
21.8 - 22.0	.94	.94
22.1 - 22.2	.97	.97
22.3 - 22.5	1.00	1.00
22.6 - 22.7	1.03	1.03
22.8 - 23.0	1.06	1.06
23.1 - 23.2	1.09	1.09
23.3 - 23.5	1.12	1.12
23.6 - 23.7	1.15	1.15
23.8 - 24.0	1.18	1.18
24.1 - 24.2	1.21	1.21
24.3 - 24.5	1.24	1.24
24.6 - 24.7	1.27	1.27
24.8 - 25.0	1.30	1.30
For each .2 percent or fraction thereof over 25 percent	\$.03	\$.03

**B Wheat Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2004	Effective July 1, 2005
	Per Bushel	Per Bushel
	Discount	Discount
<b>Moisture Percent (For SRW):</b>		
13.6 - 14.0	\$.03	\$.03
14.1 - 14.5	.06	.06
14.6 - 15.0	.09	.09
15.1 - 15.5	.12	.12
15.6 - 16.0	.15	.15
16.1 - 16.5	.19	.19
16.6 - 17.0	.23	.23
17.1 - 17.5	.27	.27
17.6 - 18.0	.31	.31
18.1 - 18.5	.35	.35
18.6 - 19.0	.39	.39
19.1 - 19.5	.43	.43
19.6 - 20.0	.47	.47
20.1 - 20.5	.51	.51
20.6 - 21.0	.55	.55
For each 0.2 percent or fraction thereof over 21.0 percent, deduct an additional \$ .04.		
<b>Example:</b> The total discount for 23.5 percent moisture would be \$.75.		

**Note:** “Moisture Percent” table has changed for 2005; See 13.5 – 21.0.

**B Wheat Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2004		Effective July 1, 2005	
	Per Bushel		Per Bushel	
	Discount		Discount	
Test Weight (Pounds):	Hard Red Spring and White Club	All Other Classes and Subclasses	Hard Red Spring and White Club	All Other Classes and Subclasses
50.9 - 50.0		\$.06		\$.06
49.9 - 49.0	\$.02	.12	\$.02	.12
48.9 - 48.0	.04	.18	.04	.18
47.9 - 47.0	.06	.24	.06	.24
46.9 - 46.0	.08	.30	.08	.30
45.9 - 45.0	.10	.36	.10	.36
44.9 - 44.0	.13	.42	.13	.42
43.9 - 43.0	.16	.48	.16	.48
42.9 - 42.0	.19	.54	.19	.54
41.9 - 41.0	.22	.60	.22	.60
40.9 - 40.0	.25	.66	.25	.66
<b>For each whole pound or fraction of a pound under 40.0 pounds per bushel deduct an additional \$.06.</b>				
Infested	\$.10		\$.10	
Musty	\$.10		\$.10	
Sour	\$.25		\$.25	
Heating	\$.25		\$.25	
COFO	\$.50		\$.50	

## C Wheat Additional Discounts (Continued)

Grade or Factor Description	Effective July 1, 2004		Effective July 1, 2005	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Falling Number Discount for All Classes</b>				
299 - 250		\$.25		\$.25
249 - 200		\$.50		\$.50
199 - 150		\$.75		\$.75
149 and below		additional \$.01 each point		additional \$.01 each point
<b>Durum Discount</b>				
• <b>Hard Vitreous Amber Color</b>				
59		\$.03		\$.03
58		.06		\$.06
57		.09		\$.09
56 and below		additional \$.03 each point		additional \$.03 each point



### Wheat Additional Discounts (Continued)

Grade or Factor Description	Effective July 1, 2004		Effective July 1, 2005	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Vomitoxin Level:</b>				
<ul style="list-style-type: none"> <li>Applies To All Wheat Classes</li> </ul>				
<b>2 parts per million or less, determine the settlement rate in the normal manner</b>				
2.1 - 3.0 parts per million		\$.50		\$.50
3.1 - 4.0 parts per million		.75		.75
4.1 - 5.0 parts per million		1.00		1.00
<b>more than 5 parts per million, the wheat shall have a settlement value of zero.</b>				

## D Barley P & D's

This table provides the P & D's for **2005** crop year **Barley**

Grade or Factor Description	Effective 2004 Crop		Effective 2005 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
Grade U.S. No. 3		\$.15		\$.25
Grade U.S. No. 4		.25		.30
Grade U.S. No. 5		.35		.40
<b>All Grades - Dockage Discount:</b>				
1.0 - 1.5 percent dockage		\$.01		\$.01
2.0 - 2.5 percent dockage		.03		.03
3.0 - 3.5 percent dockage		.04		.04
4.0 - 4.5 percent dockage		.05		.05
For each whole percent or fraction of a half percent over 4.5 percent, deduct an additional \$.01.				
<b>Example:</b> The total discount for 8.0 8.5 percent dockage would be \$.09.				
<b>All Grades - Special Grade Discount of Garlicky</b>		\$.10		\$.10
<b>Moisture Percent:</b>				
14.1		\$.01		\$.01
14.2		.02		.02
14.3		.03		.03
14.4		.04		.04
14.5		.05		.05

**Note:** "Grade No." discount has changed for 2005; See Grade U.S. No. 3, 4, and 5.

## E Barley Additional Discounts

These tables provide the Additional Discounts for **2005** crop year **Barley**

Grade or Factor Description	Effective July 1, 2004	Effective July 1, 2005
	Per Bushel	Per Bushel
	Discount	Discount
<b>Grade Discount:</b> • Sample Grade	\$.35 for 2004 crop \$.35 for 2003 crop \$.30 for 2002 crop	\$.35 for 2005 crop \$.35 for 2004 crop \$.35 for 2003 crop
<b>Thin Percent:</b>		
75.1 - 80.0	\$.05	\$.05
80.1 - 85.0	.10	.10
85.1 - 90.0	.15	.15
90.1 - 95.0	.20	.20
95.1 - 99.0	.25	.25
<b>Test Weight (Pounds):</b>		
35.9 - 35.0	\$.02	\$.02
34.9 - 34.0	.04	.04
33.9 - 33.0	.06	.06
32.9 - 32.0	.08	.08
31.9 - 31.0	.10	.10
30.9 - 30.0	.12	.12
29.9 - 29.0	.14	.14
28.9 - 28.0	.16	.16
27.9 - 27.0	.18	.18
26.9 - 26.0	.20	.20
For each whole or fraction of a pound under 26.0 pounds per bushel	\$.01	\$.01

**E Barley Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2004	Effective July 1, 2005
	Per Bushel	Per Bushel
	Discount	Discount
<b>Foreign Material Percent:</b>		
5.1 - 6.0	\$.01	\$.01
6.1 - 7.0	.02	.02
7.1 - 8.0	.03	.03
8.1 - 9.0	.04	.04
9.1 - 10.0	.05	.05
10.1 - 11.0	.07	.07
11.1 - 12.0	.09	.09
12.1 - 13.0	.11	.11
13.1 - 14.0	.13	.13
14.1 - 15.0	.15	.15
15.1 - 16.0	.17	.17
For each whole or fraction of a percent over 16 percent	\$.02	\$.02
<b>Heat-Damaged Kernels Percent:</b>		
3.1	\$.02	\$.02
3.2	.04	.04
3.3	.06	.06
3.4	.08	.08
3.5	.10	.10
3.6	.12	.12
3.7	.14	.14
3.8	.16	.16
3.9	.18	.18
4.0	.20	.20
For each 10th of a percent over 4 percent	\$.02	\$.02

**E Barley Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2004	Effective July 1, 2005
	Per Bushel	Per Bushel
	Discount	Discount
<b>Damaged Kernels (Total) Percent:</b>		
10.1 - 11.0	\$.02	\$.02
11.1 - 12.0	.04	.04
12.1 - 13.0	.06	.06
13.1 - 14.0	.08	.08
14.1 - 15.0	.10	.10
For each whole percent or fraction of a percent over 15 percent	\$.05	\$.05
<b>Moisture Percent:</b>		
14.6	\$.06	\$.06
14.7	.07	.07
14.8	.08	.08
14.9	.09	.09
15.0	.10	.10
15.1	.11	.11
15.2	.12	.12
15.3	.13	.13
15.4	.14	.14
15.5	.15	.15
15.6	.16	.16
15.7	.17	.17
15.8	.18	.18
15.9	.19	.19
16.0	.20	.20
For each 10th of a percent over 16 percent	\$.01	\$.01

**E      Barley Additional Discounts (Continued)**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2004</b>	<b>Effective July 1, 2005</b>
	<b>Per Bushel</b>	<b>Per Bushel</b>
	<b>Discount</b>	<b>Discount</b>
Musty	\$.10	\$.10
Sour	\$.10	\$.10
Infested	\$.10	\$.10
Heating	\$.10	\$.10
COFO	\$.10	\$.10

## F Oats P & D's

These tables provide the P & D's for **2005** crop year **Oats**.

Grade or Factor Description	Effective 2004 Crop		Effective 2005 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Test Weight (Pounds):</b>				
38.0 or better		\$ .00		\$ .00
37.5		.00		.01
37.0		.00		.01
36.5		.00		.02
36.0		.00		.02
35.5		.01		.03
35.0		\$ .02		\$ .04
34.5		.03		.05
34.0		.04		.06
33.5		.05		.07
33.0		.06		.08
32.5		.07		.09
32.0		.10		.12
31.5		.13		.16
31.0		.16		.19
30.5		.19		.22
30.0		.22		.25
29.5		.25		.29
29.0		.28		.32

**Note:** “Test Weight” table has changed for 2005; See 38.0 – 25.0.

## F Oats P & D's

These tables provide the P & D's for **2005** crop year **Oats**.

Grade or Factor Description	Effective 2004 Crop		Effective 2005 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Test Weight (Pounds) (Cont'd):</b>				
28.5		.31		.35
28.0		.34		.38
27.5		.37		.41
27.0		.40		.44
26.5 – 26.0		.43		.47
25.5 – 25.0		.46		.50
<b>2005 Discounts</b> – For each whole pound or fraction thereof under 25.0 pounds per bushel, deduct an additional \$.03 for 2004 and \$.04 for 2005 crop. <b>Example:</b> The total discount for 23.5 pound test weight would be \$.58.				
<b>Moisture Percent:</b>				
13.5 – 13.7		.01		.01
13.8 – 14.0		.02		.02
<b>Foreign Material Percent:</b>				
3.1 – 3.5		.01		.01
3.6 – 4.0		.02		.02

**Note:** “Test Weight” table has changed for 2005; See 38.0 – 25.0.



## F Oats Additional Discounts

Grade or Factor Description	Effective 2004 Crop		Effective 2005 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Heat Damaged Kernels Percent:</b>				
0.4 - 0.5		\$.01		\$.03
0.6		.02		.06
0.7		.03		.09
0.8		.04		.12
0.9		.05		.15
1.0		.06		.18
1.1		\$.07		.21
1.2		.08		.24
1.3		.09		.27
1.4		.10		.30
1.5		.11		.33
For each 10th of a percent over 1.5 percent		\$.01		\$.01

**Note:** “Heat Damaged” table has changed for 2005; See 0.4 - 1.5.

## F      Oats Additional Discounts (Continued)

Grade or Factor Description	Effective 2004 Crop		Effective 2005 Crop	
	Per Bushel	Per Bushel		
	Premium	Discount	Premium	Discount
<b>Sound-Cultivated Oats Percent:</b>				
93.0 - 93.9		\$.02		\$.03
92.0 - 92.9		.04		.06
91.0 - 91.9		.06		.09
90.0 - 90.9		.08		.12
89.0 – 89.9		.10		.15
88.0 – 88.9		.12		.18
87.0 – 87.9		.14		.21
86.0 – 86.9		.16		.24
85.0 – 85.9		.18		.27
84.0 – 84.9		.20		.30
83.0 – 83.9		.22		.33
82.0 – 82.9		.24		.36
81.0 – 81.9		.26		.39
80.0 – 80.9		.28		.42
<b>2005 Discounts</b> – For each 1 percent or fraction thereof under 80.0 percent, deduct an additional \$.03. <b>Example:</b> The total discount for 77.8 percent sound-cultivated oats would be \$.51.				
<b>Slightly Weathered</b>		\$.05		\$.15
<b>Special Grade Discount:</b> • Garlicky		\$.05		\$.15

**Note:** “Sound-Cultivated” table has changed for 2005; See 93.0 – 80.9.

## G Oats Additional Discounts

These tables provide the **additional discounts** for **2005** crop year **Oats**.

Grade or Factor Description	Effective July 1, 2004	Effective July 1, 2005
	Per Bushel	Per Bushel
	Discount	Discount
<b>Grade Discount:</b> <ul style="list-style-type: none"> <li>• <b>Sample Grade</b></li> </ul>	\$.15 for 2004 crop \$.15 for 2003 crop \$.15 for 2002 crop	\$.15 for 2005 crop \$.15 for 2004 crop \$.15 for 2003 crop
<b>Foreign Material Percent:</b>		
4.1 - 4.5	\$.03	\$.03
4.6 - 5.0	.04	.04
5.1 - 5.5	.05	.05
5.6 - 6.0	.06	.06
6.1 - 6.5	.07	.07
6.6 - 7.0	.08	.08
7.1 - 7.5	.09	.09
7.6 - 8.0	.10	.10
8.1 - 8.5	.12	.12
8.6 - 9.0	.14	.14
9.1 - 9.5	.16	.16
9.6 - 10.0	\$.18	\$.18
10.1 - 10.5	.20	.20
10.6 - 11.0	.22	.22
11.1 - 11.5	.24	.24
11.6 - 12.0	.26	.26
12.1 - 12.5	.28	.28
12.6 - 13.0	.30	.30

**G Oats Additional Discounts (Continued)**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2004</b>	<b>Effective July 1, 2005</b>
	<b>Per Bushel</b>	<b>Per Bushel</b>
	<b>Discount</b>	<b>Discount</b>
<b>Foreign Material Percent, Contd.:</b>		
13.1 - 13.5	.32	.32
13.6 - 14.0	.34	.34
14.1 - 14.5	.36	.36
14.6 - 15.0	.38	.38
15.1 - 15.5	.39	.39
15.6 - 16.0	.40	.40
16.1 - 16.5	.41	.41
16.6 - 17.0	.42	.42
For each half percent or fraction of a half percent over 17 percent	\$.01	\$.01

**G Oats Additional Discounts (Continued)**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2004</b>	<b>Effective July 1, 2005</b>
	<b>Per Bushel</b>	<b>Per Bushel</b>
	<b>Discount</b>	<b>Discount</b>
<b>Moisture Percent:</b>		
14.1	\$.03	\$.03
14.2	.04	.04
14.3	.05	.05
14.4	.06	.06
14.5	.07	.07
14.6	.08	.08
14.7	.09	.09
14.8	.10	.10
14.9	.11	.11
15.0	.12	.12
15.1	.13	.13
15.2	.14	.14
15.3	.15	.15
15.4	.16	.16
15.5	.17	.17

**G Oats Additional Discounts (Continued)**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2004</b>	<b>Effective July 1, 2005</b>
	<b>Per Bushel</b>	<b>Per Bushel</b>
	<b>Discount</b>	<b>Discount</b>
<b>Moisture Percent, Contd.:</b>		
15.6	\$.19	\$.19
15.7	.21	.21
15.8	.23	.23
15.9	.25	.25
16.0	.27	.27
16.1	.29	.29
16.2	.31	.31
16.3	.33	.33
16.4	.35	.35
16.5	.37	.37
16.6	.39	.39
16.7	.41	.41
16.8	.43	.43
16.9	.45	.45
17.0	.47	.47
17.1	.49	.49
17.2	.51	.51

**G Oats Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2004	Effective July 1, 2005
	Per Bushel	Per Bushel
	Discount	Discount
<b>Moisture Percent, Contd.:</b>		
17.3	\$.53	\$.53
17.4	.55	.55
17.5	.57	.57
17.6	.59	.59
17.7	.61	.61
17.8	.63	.63
17.9	.65	.65
18.0	.67	.67
18.1	.69	.69
18.2	.71	.71
18.3	.73	.73
18.4	.75	.75
18.5	.77	.77
18.6	.79	.79
18.7	.81	.81
18.8	.83	.83
18.9	.85	.85
19.0	.87	.87
For each .5 percent or fraction thereof over 19.0 percent	\$.02	\$.02

**G Oats Additional Discounts (Continued)**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2004</b>	<b>Effective July 1,2005</b>
	<b>Per Bushel</b>	<b>Per Bushel</b>
	<b>Discount</b>	<b>Discount</b>
Sour	\$.10	\$.15
Musty	\$.10	\$.15
Heating	\$.10	\$.15
Infested	\$.10	\$.15
Smutty	\$.10	\$.15
Bleached	\$.05	\$.10
Materially Weathered or Badly Stained	\$.10	\$.15
COFO	\$.10	\$.15